

SBDS Rabbit mAb

货号: **AYM29099**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	28kDa
实测分子量	29kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,SKOV3,HepG2,HL-60,Mouse brain,Mouse lung,Rat lung,Rat ovary
细胞定位	Cytoplasm,Nucleus,cytoskeleton,nucleolus,nucleoplasm,spindle
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human SBDS.
序列	MSIFTPTNQIRLTNVAVVRMKRAGKRFEIACYKNKVVGWRSVGEKDLDEVLQTHSVFVNVSKGQVAKKEDLISAFGTDDQ TEICKQILTKGEVQVSDKERHTQLEQMFRDIATIVADKCVNPETKRPYTVILIERAMKDIHYSVKTNKSTKQQALEVIKQLKEK MKIERAHMRLRFILPVNEGKLLKEKLPKLIKVIESEDYGGQLEIVCLIDPGCFREIDELIKKETKGGKSLEVLNLKDVVEEGDEKF E

靶点信息

研究背景	This gene encodes a member of a highly conserved protein family that exists from archaea to vertebrates and plants. The encoded protein may function in RNA metabolism. Mutations within this gene are associated with Shwachman-Bodian-Diamond syndrome. An alternative transcript has been described, but its biological nature has not been determined. This gene has a closely linked pseudogene that is distally located.
基因ID	51119

基因名	SBDS
Swiss	Q9Y3A5
别名	SBDS;CGI-97;SDS;SWDS

产品验证



Western blot analysis of SBDS expressed in Mouse brain,Rat lung,U-87MG using SBDS Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn