

SMYD3 Rabbit mAb

货号: **AYM29132**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC IP FC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200 IP: 1:20 - 1:50 FC: 1:20 - 1:50
理论分子量	42kDa
实测分子量	42kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HCT116,MCF7,Mouse thymus,Rat brain
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human SMYD3.
序列	SISLLNHSCDPNCSIVFNGLPHLLRAVRDIEVGEELTICYLDMLMTSEERRKQLRDQYCFECDRCQTQDKDADMLTGDE QVWKEVQESLKKIEELKAHW

靶点信息

研究背景	This gene encodes a histone methyltransferase which functions in RNA polymerase II complexes by an interaction with a specific RNA helicase. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Dec 2011]
------	---

基因ID	64754
基因名	SMYD3
Swiss	Q9H7B4
别名	KMT3E; ZMYND1; ZNFN3A1; bA74P14.1

产品验证



Western blot analysis of SMYD3 expressed in Mouse thymus, Rat brain, HCT116 using SMYD3 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn