

— ABLYBIO, Help Your Research



# Pumilio 2 Rabbit mAb

货号: **AYM29166**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IF/ICC IP FC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IF/ICC:</b> 1:50 - 1:200 <b>IP:</b> 1:20 - 1:50 <b>FC:</b> 1:20 - 1:50
理论分子量	114kDa
实测分子量	114kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	PC-3,Mouse testis,Rat testis
细胞定位	cytoplasm,cytoplasmic stress granule,cytosol,nuclear membrane,perinuclear region of cytoplasm
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein corresponding to Human Pumilio 2.
------	--

## 靶点信息

研究背景	This gene encodes a protein that belongs to a family of RNA-binding proteins. The encoded protein functions as a translational repressor during embryonic development and cell differentiation. This protein is also thought to be a positive regulator of cell proliferation in adipose-derived stem cells. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Sep 2013]
基因ID	23369
基因名	PUM2
Swiss	Q8TB72 ( <a href="https://www.uniprot.org/uniprotkb/Q8TB72/entry">https://www.uniprot.org/uniprotkb/Q8TB72/entry</a> )
别名	Pumilio 2,Pumilio 2 Rabbit mAb,PUM2,KIAA0235,PUMH2

## 产品验证



Western blot analysis of Pumilio 2 expressed in PC-3, Mouse testis, Rat testis using Pumilio 2 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/>[www.ablybio.cn](http://www.ablybio.cn))