

YY1 Rabbit mAb

货号: **AYM29175**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC IP
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200 IP: 1:20 - 1:50
理论分子量	44kDa
实测分子量	68kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,Jurkat,Raji,U-251MG,Mouse spleen,Mouse kidney,Rat lung
细胞定位	Nucleus matrix
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human YY1.
序列	HPPMIALQPLVTDDPTQVHHHQEVLVQTREEVVGDDSDGLRAEDGFEDQILIPVPAPAGGDDDDYIEQTLVTVAAAGKSG

靶点信息


研究背景	YY1 is a ubiquitously distributed transcription factor belonging to the GLI-Kruppel class of zinc finger proteins. The protein is involved in repressing and activating a diverse number of promoters. YY1 may direct histone deacetylases and histone acetyltransferases to a promoter in order to activate or repress the promoter, thus implicating histone modification in the function of YY1.
------	---

基因ID	7528
基因名	YY1
Swiss	P25490
别名	DELTA;INO80S;NF-E1;UCRBP;YIN-YANG-1;YY1

产品验证



Immunohistochemical analysis of paraffin-embedded human bladder using YY1 Antibody.



Western blot analysis of YY1 expressed in Mouse spleen, Rat lung, HeLa using YY1 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn