

JAG1 Rabbit mAb

货号: **AYM29256**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	116kDa/133kDa
实测分子量	180kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HT-29,Mouse heart
细胞定位	Membrane,Single-pass type I membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human JAG1.
序列	QFELEILSMQNVNGELQNGNCCGGARNPGDRKCTRDECPTYFKVCLKEYQSRVTAGGPCSFSGSSTPVIGGNTFNLKAS RGNDRNRIVLPFSFAWPRSHTLLVEAWDSSNDTVQPDSIIEKASHSGMINPSRQWQTLKQNTGVAHFE

靶点信息


研究背景	The jagged 1 protein encoded by JAG1 is the human homolog of the Drosophila jagged protein. Human jagged 1 is the ligand for the receptor notch 1, the latter a human homolog of the Drosophila jagged receptor or notch. Mutations that alter the jagged 1 protein cause Alagille syndrome. Jagged 1 signalling through notch 1 has also been shown to play a role in hematopoiesis.
基因ID	182

基因名	JAG1
Swiss	P78504
别名	JAG1;AGS;AGS1;AHD;AWS;CD339;HJ1;JAGL1;jagged 1

产品验证



Immunohistochemical analysis of paraffin-embedded Rat liver, using the Antibody at 1:200 dilution.



Western blot analysis of JAG1 expressed in HT-29, Mouse heart using JAG1 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn