

— ABLYBIO, Help Your Research



CD84 Rabbit mAb

货号: **AYM29399**

产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	24kDa/26kDa/30kDa/31kDa/36kDa/38kDa
实测分子量	60-85kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Jurkat,THP-1
细胞定位	Cell membrane,Single-pass type I membrane protein
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human CD84.
------	---------------------------------------------------------

靶点信息

研究背景	This gene encodes a membrane glycoprotein that is a member of the signaling lymphocyte activation molecule (SLAM) family. This family forms a subset of the larger CD2 cell-surface receptor Ig superfamily. The encoded protein is a homophilic adhesion molecule that is expressed in numerous immune cells types and is involved in regulating receptor-mediated signaling in those cells. Alternate splicing results in multiple transcript variants.
基因ID	8832
基因名	CD84
Swiss	Q9UIB8 (https://www.uniprot.org/uniprotkb/Q9UIB8/entry)
别名	CD84,CD84 Rabbit mAb,Cell surface antigen MAX.3,Hly9-beta,Leukocyte differentiation antigen CD84,Signaling lymphocytic activation molecule 5,SLAMF5

产品验证



Western blot analysis of CD84 expressed in Jurkat,THP-1 using CD84 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)