

# TRIM24 Rabbit mAb

货号: **AYM29403**

## 产品信息

|       |   |
|-------|---|
| 反应    | Human   |
| 宿主    | Rabbit  |
| 克隆性   | Monoclonal  |
| 预测反应  |   |
| 应用    | WB IHC IF/ICC   |
| 推荐浓度  | <b>WB:</b> 1:500 - 1:2000<br><b>IHC:</b> 1:50 - 1:200<br><b>IF/ICC:</b> 1:50 - 1:200          |
| 理论分子量 | 113kDa/116kDa   |
| 实测分子量 | 130kDa  |
| 形式    | Liquid  |
| 保存条件  | Store at -20°C. Avoid freeze / thaw cycles.<br>Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3. |
| 偶联物   | Unconjugated  |
| 阳性对照  | 293T,HeLa   |
| 细胞定位  | Cytoplasm,Nucleus   |
| 纯化    | Affinity purification   |

## 抗原信息


|      |  |
|------|--|
| 抗原信息 | Recombinant fusion protein corresponding to Human TRIM24.  |
| 序列   | DGKAFGSPMIDLSSPVGGSYNLPSPDPIDCSSTIMLDNIVRKDTNIDHGQPRPPSNRTVQSPNSSVPSGLAGPVTMTSVH<br>PPIRSPSASSVGSRGSSGSSSKPAGADSTHKVPVVMLEPIRIKQENSGPPENYDFPVVIVKQESDEESRPQNANYPR SILTS<br>LLLNSSQSSTSEETVLRSDAPDSTGDQGLHQDNSSNGKSEWLDPSQKSPLHVGETRK |

## 靶点信息

|      |   |
|------|---|
| 研究背景 | The protein encoded by this gene mediates transcriptional control by interaction with the activation function 2 (AF2) region of several nuclear receptors, including the estrogen, retinoic acid, and vitamin D3 receptors. The protein localizes to nuclear bodies and is thought to associate with chromatin and heterochromatin-associated factors. The protein is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains - a RING, a B-box type 1 and a B-box type 2 - and a coiled-coil region. Two alternatively spliced transcript variants encoding different isoforms have been described for this gene. |
|------|---|

|       |   |
|-------|---|
| 基因ID  | 8805  |
| 基因名   | TRIM24  |
| Swiss | O15164  |
| 别名    | TRIM24;PTC6;RNF82;TF1A;TIF1;TIF1A;TIF1ALPHA;hTIF1 |

## 产品验证



Western blot analysis of TRIM24 expressed in 293T, HeLa using TRIM24 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5 % non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)