

# HTF9C Rabbit mAb

货号: **AYM29454**

## 产品信息

|       |   |
|-------|---|
| 反应    | Human   |
| 宿主    | Rabbit  |
| 克隆性   | Monoclonal  |
| 预测反应  |   |
| 应用    | WB IHC IF/ICC   |
| 推荐浓度  | <b>WB:</b> 1:500 - 1:2000<br><b>IHC:</b> 1:50 - 1:200<br><b>IF/ICC:</b> 1:50 - 1:200          |
| 理论分子量 | 61kDa/68kDa   |
| 实测分子量 | 69kDa   |
| 形式    | Liquid  |
| 保存条件  | Store at -20°C. Avoid freeze / thaw cycles.<br>Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3. |
| 偶联物   | Unconjugated  |
| 阳性对照  | 293T,HeLa,K-562   |
| 细胞定位  | cytosol   |
| 纯化    | Affinity purification   |

## 抗原信息


|      |  |
|------|--|
| 抗原信息 | Recombinant fusion protein corresponding to Human HTF9C.   |
| 序列   | LASQHLVAILDPPRAGLHASKVILAIRRAKNLRRLLYVSCNPRAAMGNFVDLCRAPSNRVKGIPFRPVKAVAVDLFPQTPHCE<br>MLILFERVEHPNGTGVLGPHSPPAQPTGPPDNTLQETGTFPSS |

## 靶点信息

|      |  |
|------|--|
| 研究背景 | The protein encoded by this gene is of unknown function. However, it is orthologous to the mouse Trmt2a gene and contains an RNA methyltransferase domain. Expression of this gene varies during the cell cycle, with aberrant expression being a possible biomarker in certain breast cancers. Several transcript variants encoding two different isoforms have been found for this gene. |
| 基因ID | 27037  |

|       |              |
|-------|--------------|
| 基因名   | TRMT2A       |
| Swiss | Q8IZ69       |
| 别名    | TRMT2A;HTF9C |

## 产品验证



Western blot analysis of HTF9C expressed in 293T, HeLa, K-562 using HTF9C Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)