

— ABLYBIO, Help Your Research



BAT3 Rabbit mAb

货号: **AYM29476**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC FC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200 FC: 1:20 - 1:50
理论分子量	96kDa/113kDa/118kDa/119kDa/122kDa
实测分子量	160kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,HeLa,Mouse testis,Rat testis
细胞定位	Cytoplasm,Nucleus,cytosol
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human BAT3.
------	---

靶点信息

研究背景	This gene was first characterized as part of a cluster of genes located within the human major histocompatibility complex class III region. This gene encodes a nuclear protein that is cleaved by caspase 3 and is implicated in the control of apoptosis. In addition, the protein forms a complex with E1A binding protein p300 and is required for the acetylation of p53 in response to DNA damage. Multiple transcript variants encoding different isoforms have been found for this gene.
基因ID	7917
基因名	BAG6
Swiss	P46379 (https://www.uniprot.org/uniprotkb/P46379/entry)
别名	BAT3,BAT3 Rabbit mAb,BAG6,BAG family molecular chaperone regulator 6,BCL2-associated athanogene 6,HLA-B-associated transcript 3,Protein G3,Protein Scythe,G3

产品验证



Western blot analysis of BAT3 expressed in Mouse testis,Rat testis,293T using BAT3 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)