

TYRO3 Rabbit mAb

货号: **AYM29530**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IP
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IP: 1:20 - 1:50
理论分子量	96kDa
实测分子量	110,130kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain,Rat brain
细胞定位	Cell membrane,Single-pass type I membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human TYRO3.
序列	PATNYSLRVRCANALGSPSYADWVPFQTKGLAPASAPQNLHAIRTDGLILEWEEVIPEAPLEGPLGPYKLSWWQDNGTQ DELTVETRANLTGWDPQKDLIVRVCVSNVAVGCGPWSQPLVSSHDRAGQQGPPHSRTSWV

靶点信息

研究背景	The gene is part of a 3-member transmembrane receptor kinase receptor family with a processed pseudo gene distal on chromosome 15. The encoded protein is activated by the products of the growth arrest-specific gene 6 and protein 5 genes and is involved in controlling cell survival and proliferation, spermatogenesis, immunoregulation and phagocytosis. The encoded protein has also been identified as a cell entry factor for Ebola and Marburg viruses.
------	---

基因ID	7301
基因名	TYRO3
Swiss	Q06418
别名	TYRO3;BYK;Dtk;Etk-2;RSE;Rek;Sky;Tif

产品验证



Western blot analysis of TYRO3 expressed in Mouse brain,Rat brain using TYRO3 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn