— ABLYBIO, Help Your Research

Sumo2/3 Rabbit mAb

货号: AYM29586

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC ICC/IF
推荐浓度	**WB:** 1:500 - 1:2000 **IHC:** 1:50 - 1:200 **IF/ICC:** 1:50 - 1:200
理论分子量	11KD
实测分子量	16kDa
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	无明确组织表达
细胞定位	
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human Sumo2/3.

靶点信息


研究背景	

基因ID	6613;6612;
基因名	SUMO2 SMT3A SMT3H2 SUMO3 SMT3B SMT3H1
Swiss	P61956 (https://www.uniprot.org/uniprotkb/P61956/entry), P55854 (https://www.uniprot.org/uniprotkb/P55854/entry)
别名	Sumo2/3,Sumo2/3 Rabbit mAb


产品验证



Western blot analysis of Sumo2/3 expressed in human liver cancer,mouse brain,rat lung using Sumo2/3 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30 ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.



Human tonsil was stained with anti-SUMO 2/3 Rabbit antibody，1：100



The samples were fixed with PFA and permeabilized in 0.1% Triton X-100,then blocked in 10% serum for 45 minutes at 25°C. Samples were then incubated with primary Ab Sumo2/3 Rabbit mAb for 1 hour at 37°C. An AlexaFluor594 conjugated goat anti-rabbit IgG(H+L) Ab(Red) and an AlexaFluor488 conjugated goat.The nuclear counter stain is DAPI.

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)