

— ABLYBIO, Help Your Research



# TAGLN Rabbit mAb

货号: **AYM29611**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IHC:</b> 1:50 - 1:200
理论分子量	22kDa
实测分子量	23kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse uterus,Rat uterus
细胞定位	Cytoplasm
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein corresponding to Human TAGLN.
------	--

## 靶点信息

研究背景	The protein encoded by this gene is a transformation and shape-change sensitive actin cross-linking/gelling protein found in fibroblasts and smooth muscle. Its expression is down-regulated in many cell lines, and this down-regulation may be an early and sensitive marker for the onset of transformation. A functional role of this protein is unclear. Two transcript variants encoding the same protein have been found for this gene.
基因ID	6876
基因名	TAGLN
Swiss	Q01995 ( <a href="https://www.uniprot.org/uniprotkb/Q01995/entry">https://www.uniprot.org/uniprotkb/Q01995/entry</a> )
别名	TAGLN,TAGLN Rabbit mAb,22 kDa actin-binding protein,Protein WS3-10,Smooth muscle protein 22-alpha, SM22,WS3-10

## 产品验证



Western blot analysis of TAGLN expressed in Mouse uterus,Rat uterus using TAGLN Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)