

Hsp90 alpha Rabbit mAb

货号: **AYM29662**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	84kDa/98kDa
实测分子量	85kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-251MG,HeLa,NIH/3T3,Rat brain,PC-12
细胞定位	Cell membrane,Cytoplasm,Melanosome
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human Hsp90 alpha.
序列	AAKKHLEINPDHSIIETLRQKAEADKNDKSVKDLVILLYETALLSSGFSLEDPQTHANRIYRMIKGLGLIDEDDPTADDTSAAVTEEMPPLGDDDDTSRMEEVD

靶点信息

研究背景	The protein encoded by this gene is an inducible molecular chaperone that functions as a homodimer. The encoded protein aids in the proper folding of specific target proteins by use of an ATPase activity that is modulated by co-chaperones. Two transcript variants encoding different isoforms have been found for this gene.
基因ID	3320

基因名	HSP90AA1
Swiss	P07900
别名	HSP90AA1;EL52;HEL-S-65p;HSP86;HSP89A;HSP90A;HSP90N;HSPC1;HSPCA;HSPCAL1;HSPCAL4;HSPN;Hsp103;Hsp89;Hsp90;LAP-2;LAP2

产品验证



Western blot analysis of Hsp90 alpha expressed in Rat brain,U-251MG,HeLa using Hsp90 alpha Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn