

# c-Myb Rabbit mAb

货号: **AYM29675**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IHC:</b> 1:50 - 1:200
理论分子量	37-46kDa/63-85kDa
实测分子量	78kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	
细胞定位	Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein corresponding to Human c-Myb.
序列	MARRPRHSIYSSDEDDDFEMCDHDYDGLLPKSGKRHLGKTRWTRREEDEKLKLLVEQNGTDDWKVIANYLPNRTDVQC QHRWQKVLNPELIKGPWTKEED

## 靶点信息

研究背景	This gene encodes a protein with three HTH DNA-binding domains that functions as a transcription regulator. This protein plays an essential role in the regulation of hematopoiesis. This gene may be aberrantly expressed or rearranged or undergo translocation in leukemias and lymphomas, and is considered to be a n oncogene. Alternative splicing results in multiple transcript variants.
基因ID	4602

基因名	MYB
Swiss	P10242
别名	MYB;Cmyb;c-myb;c-myb_CDS;efg

## 产品验证



Western blot analysis of c-Myb expressed in human breast cancer using c-Myb Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)