— ABLYBIO, Help Your Research

HNF-4-alpha Rabbit mAb

货号: AYM29687

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IP CHIP ICC/IF
推荐浓度	**WB:** 1:500 - 1:2000 **IHC:** 1:100 - 1:300 **IP:** 1:20 - 1:50 **CHIP:** 1:20 - 1:50 **IF:** 1:100 - 1:300
理论分子量	53kDa
实测分子量	53kDa
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SW480
细胞定位	Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to mouse HNF-4-alpha.


靶点信息

研究背景	
基因ID	3134
基因名	Hnf4a
Swiss	P49698 (https://www.uniprot.org/uniprotkb/P49698/entry), P41235 (https://www.uniprot.org/uniprotkb/P41235/entry)
别名	HNF-4-alpha,HNF-4-alpha Rabbit mAb,Hnf4a,Nuclear receptor subfamily 2 group A member 1,Transcription factor 14,Transcription factor HNF-4,Hnf-4,Hnf4,Nr2a1,Tcf14


产品验证



Western blot analysis of HNF-4-alpha expressed in human liver cancer,mouse liver,rat muscle using HNF-4-alpha Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.



Rat liver was stained with anti-HNF-4α rabbit antibody，1：200



Immunofluorescence analysis of HeLa cells labelling HNF-4-alpha with . The cells were fixed with cold 100% methanol (10min, 4℃) and blocked in 1% BSA/10% normal goat serum/0.3M glycine in 0.1% PBS-Tween 20 for 1h. The cells were then incubate with Goat Anti-Rabbit IgG Fluor488 (1:200，shown in green) at room temprature for 1h.

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)