

# HDLBP Rabbit mAb

货号: **AYM29693**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	137kDa/141kDa
实测分子量	150kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,Jurkat,HepG2,Mouse brain,NIH/3T3,Mouse heart,Rat liver
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein corresponding to Human HDLBP.
序列	LERVKELQAEQEDRALRSFKLSVTVDPKYHPKIIGRKGAVITQIRLEHDVNIQFPDKDDGNQPQDQITITGYEKNTEAARDAL LRIVGELEQMVEDVPLDHRVHARIIGARGKAIRKIMDEFKVDIRFPQSGAPDPNCVTVTGLPENVEEAIDHILNLEEEYLADV VDSEALQVYMKPPAHEEAKAPSRGFVVRDAPWTASSEKAPDMSSEEFPSFGAQVAPKTLPWGPKR

## 靶点信息

研究背景	The protein encoded by this gene binds high density lipoprotein (HDL) and may function to regulate excess cholesterol levels in cells. The encoded protein also binds RNA and can induce heterochromatin formation.
基因ID	3069

基因名	HDLBP
Swiss	Q00341
别名	HDLBP;HBP;PRO2900;VGL;vigilin

## 产品验证



Western blot analysis of HDLBP expressed in HeLa, Jurkat, HepG2 using HDLBP Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)