

# RNase L Rabbit mAb

货号: **AYM29747**

## 产品信息

|       |   |
|-------|---|
| 反应    | Human   |
| 宿主    | Rabbit  |
| 克隆性   | Monoclonal  |
| 预测反应  |   |
| 应用    | WB  |
| 推荐浓度  | <b>WB:</b> 1:500 - 1:2000   |
| 理论分子量 | 73kDa/83kDa   |
| 实测分子量 | 80kDa   |
| 形式    | Liquid  |
| 保存条件  | Store at -20°C. Avoid freeze / thaw cycles.<br>Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3. |
| 偶联物   | Unconjugated  |
| 阳性对照  | THP-1,Mouse spleen,Rat spleen   |
| 细胞定位  | Cytoplasm,Mitochondrion   |
| 纯化    | Affinity purification   |

## 抗原信息


|      |  |
|------|--|
| 抗原信息 | Recombinant fusion protein corresponding to Human RNase L. |
|------|--|

## 靶点信息

|       |   |
|-------|---|
| 研究背景  | This gene encodes a component of the interferon-regulated 2-5A system that functions in the antiviral and antiproliferative roles of interferons. Mutations in this gene have been associated with predisposition to prostate cancer and this gene is a candidate for the hereditary prostate cancer 1 (HPC1) allele. |
| 基因ID  | 6041  |
| 基因名   | RNASEL  |
| Swiss | Q05823  |

|    |         |
|----|---------|
| 别名 | RNase L |
|----|---------|

## 产品验证



Western blot analysis of RNase L expressed in THP-1, Mouse spleen, Rat spleen using RNase L Rabbit m Ab at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120 S.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)