

# RNase L Rabbit mAb

货号: **AYM29747**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	73kDa/83kDa
实测分子量	80kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	THP-1,Mouse spleen,Rat spleen
细胞定位	Cytoplasm,Mitochondrion
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein corresponding to Human RNase L.
序列	VQELHLSCGYTHQDLQPQNILIDSKKAAHLADFDKSIKWAGDPQEVKRDLEDLGRVLVYVVKKGSISFEDLKAQSNEEVV QLSPDEETKDLIHRLEFHPGEHVRDCLSDLLGHPFFWTWESRYRTLNRVGNESDIKTRKSESEILRLLQPGPSEHSKSFDKW TTKINECVMKKMNKFYEKRGNFYQNTVGDLLKFIRNLGEHIDEEKHKMKLKGDPSTLYFQKTFPDLVIYVYTKLQNTTEYRK HFPQTHSPNKPQCDGAGGASGLASPGC

## 靶点信息

研究背景	This gene encodes a component of the interferon-regulated 2-5A system that functions in the antiviral and antiproliferative roles of interferons. Mutations in this gene have been associated with predisposition to prostate cancer and this gene is a candidate for the hereditary prostate cancer 1 (HPC1) allele.
基因ID	6041

基因名	RNASEL
Swiss	Q05823
别名	RNASEL;PRCA1;RNS4

## 产品验证



Western blot analysis of RNase L expressed in THP-1, Mouse spleen, Rat spleen using RNase L Rabbit m Ab at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120 S.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)