

— ABLYBIO, Help Your Research



# CDC42EP1 Rabbit mAb

货号: **AYM29756**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	60kDa
实测分子量	60kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,HT-29,HepG2
细胞定位	cytoplasm,cytoskeleton,cytosol,focal adhesion,plasma membrane
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein corresponding to Human CDC42EP1.
------	---

## 靶点信息

研究背景	CDC42 is a member of the Rho GTPase family that regulates multiple cellular activities, including actin polymerization. The protein encoded by this gene is a CDC42 binding protein that mediates actin cytoskeleton reorganization at the plasma membrane. This protein is secreted and is primarily found in bone marrow. [provided by RefSeq, Jul 2008]
基因ID	11135
基因名	CDC42EP1
Swiss	Q00587 ( <a href="https://www.uniprot.org/uniprotkb/Q00587/entry">https://www.uniprot.org/uniprotkb/Q00587/entry</a> )
别名	CDC42EP1,CDC42EP1 Rabbit mAb,Binder of Rho GTPases 5,Serum protein MSE55,BORG5,CEP1,MSE55

## 产品验证



Western blot analysis of CDC42EP1 expressed in HeLa, HT-29, HepG2 using CDC42EP1 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)