

— ABLYBIO, Help Your Research



Triosephosphate isomerase Rabbit mAb

货号: **AYM29821**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB FC
推荐浓度	WB: 1:500 - 1:2000 FC: 1:20 - 1:50
理论分子量	17kDa/26kDa/30kDa
实测分子量	25kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,293T,Mouse brain,Mouse kidney,Rat brain,Rat skeletal muscle
细胞定位	cytosol,extracellular exosome,extracellular space,nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human Triosephosphate isomerase.
------	--

靶点信息

研究背景	This gene encodes an enzyme, consisting of two identical proteins, which catalyzes the isomerization of glyceraldehydes 3-phosphate (G3P) and dihydroxy-acetone phosphate (DHAP) in glycolysis and gluconeogenesis. Mutations in this gene are associated with triosephosphate isomerase deficiency. Pseudogenes have been identified on chromosomes 1, 4, 6 and 7. Alternative splicing results in multiple transcript variants.
基因ID	7167
基因名	TPI1
Swiss	P60174 (https://www.uniprot.org/uniprotkb/P60174/entry)
别名	Triosephosphate isomerase, Triosephosphate isomerase Rabbit mAb, TPI1, Methylglyoxal synthase, Triose-phosphate isomerase, TPI

产品验证



Western blot analysis of Triosephosphate isomerase expressed in Mouse brain, Rat brain, U-87MG using Triosephosphate isomerase Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)