

— ABLYBIO, Help Your Research



Ube2L3 / UBCH7 Rabbit mAb

货号: **AYM29830**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 ICC: 1:50 - 1:200
理论分子量	14kDa/17kDa/24kDa
实测分子量	17kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-251MG,HL-60,K-562,HeLa,Mouse testis,Mouse brain,Mouse skeletal muscle
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human Ube2L3 / UBCH7.
------	---

靶点信息

研究背景	The modification of proteins with ubiquitin is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes (E1s), ubiquitin-conjugating enzymes (E2s) and ubiquitin-protein ligases (E3s). This gene encodes a member of the E2 ubiquitin-conjugating enzyme family. This enzyme is demonstrated to participate in the ubiquitination of p53, c-Fos, and the NF- κ B precursor p105 in vitro. Several alternatively spliced transcript variants have been found for this gene.
基因ID	7332
基因名	UBE2L3
Swiss	P68036 (https://www.uniprot.org/uniprotkb/P68036/entry)
别名	Ube2L3 / UBCH7,Ube2L3 / UBCH7 Rabbit mAb,UBE2L3,E2 ubiquitin-conjugating enzyme L3,L-UBC,UbcH7, Ubiquitin carrier protein L3,Ubiquitin-conjugating enzyme E2-F1,Ubiquitin-protein ligase L3,UBCE7

产品验证



Western blot analysis of Ube2L3 / UBCH7 expressed in Mouse testis,U-251MG,HL-60 using Ube2L3 / UBCH7 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/protein s: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)