— ABLYBIO, Help Your Research

VAV2 Rabbit mAb

货号: AYM29866

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC ICC IP
推荐浓度	**WB:** 1:500 - 1:2000 **IHC:** 1:50 - 1:200 **ICC:** 1:50 - 1:200 **IP:** 1:20 - 1:50
理论分子量	97kDa/100kDa/101kDa
实测分子量	100kDa
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,293T,HeLa,HepG2,Mouse liver,Mouse lung,Mouse spleen,Rat kidney
细胞定位	cytoplasm,cytosol,plasma membrane
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human VAV2.


靶点信息

研究背景	VAV2 is the second member of the VAV guanine nucleotide exchange factor family of oncogenes. Unlike VAV1, which is expressed exclusively in hematopoietic cells, VAV2 transcripts were found in most tissues. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.
基因ID	7410
基因名	VAV2
Swiss	P52735 (https://www.uniprot.org/uniprotkb/P52735/entry)
别名	VAV2,VAV2 Rabbit mAb

产品验证



Western blot analysis of VAV2 expressed in Mouse liver,Rat kidney,U-87MG using VAV2 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.



Immunohistochemical analysis of paraffin-embedded human breast cancer, using VAV2 Antibody.

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)