

CDC123 Rabbit mAb

货号: **AYM29906**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IP FC
推荐浓度	WB: 1:500 - 1:2000 IP: 1:20 - 1:50 FC: 1:20 - 1:50
理论分子量	39kDa
实测分子量	39kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,A431,HT-29,293T,Mouse lung,Rat kidney
细胞定位	Cytoplasm
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human CDC123.
序列	MKKEHVLHCQFSAWYPPFRGVTIKSVILPLPQNVKDYLLDDGTLVVSGRDDPPTHSQPDSDEAEEIQWSDDENTATLTA PEFPEFATKVQEAINSLGGSVFPKLNWSAPRDAYWIAMNSSLKCKTLDIFLLFKSSDFITRDFTQPFIHCTDDSPDPCIEYE LVLRKWCCELIPGAEFRFCVKENKLGISQRDYTYYYDHISKQKEEIRRCCIQDFFKKHIQYKFLDEDFVFDIYRDSRGKVVWLDIF NPFGEVTDSSLFTWEELISENNLNGDFSEVDAQEQDSPAFRCTNSEVTVQSPYLSYRLPKDFVDLSTGEDAHKLIDFLKL KRNQQEDD

靶点信息

研究背景	Required for S phase entry of the cell cycle.
基因ID	8872

基因名	CDC123
Swiss	O75794
别名	CDC123;C10orf7;D123

产品验证



Western blot analysis of CDC123 expressed in Mouse lung,Rat kidney,HeLa using CDC123 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn