

Bid Rabbit mAb

货号: **AYM29911**

产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC IP FC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200 IP: 1:20 - 1:50 FC: 1:20 - 1:50
理论分子量	11kDa/14kDa/21kDa/26kDa
实测分子量	22kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Jurkat,Rat thymus
细胞定位	Cytoplasm,Mitochondrion membrane,Mitochondrion membrane
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human Bid.
序列	MDCEVNNGSSLRDECITNLLVFGFLQSCSDNSFRRELDALGHELPLVAPQWEGYDELQTDGNRSSHRLGRIEADSESQ EDIIRNIARHLAQVGDMSDRSIPPGLVNGLALQLRNTSRSEEDRNRDLATALEQLLQAYPRDMEKEKTMLVLAALLAKKVAS HTPSLLRDVFHTTVNFINQNLRTYVRSRLARNGMD


靶点信息

研究背景	This gene encodes a death agonist that heterodimerizes with either agonist BAX or antagonist BCL2. The encoded protein is a member of the BCL-2 family of cell death regulators. It is a mediator of mitochondria l damage induced by caspase-8 (CASP8); CASP8 cleaves this encoded protein, and the COOH-terminal part translocates to mitochondria where it triggers cytochrome c release. Multiple alternatively spliced transcript variants have been found, but the full-length nature of some variants has not been defined.
基因ID	637
基因名	BID
Swiss	P55957
别名	BID;FP497

产品验证



Immunohistochemical analysis of paraffin-embedded human lung, using Bid Antibody.



Western blot analysis of Bid expressed in Jurkat,Rat thymus using Bid Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s

实验步骤

访问官网浏览详情: www.ablybio.cn