

SMN1 Rabbit mAb

货号: **AYM29947**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IP
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IP: 1:20 - 1:50
理论分子量	27kDa/28kDa/30kDa/31kDa
实测分子量	36kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse liver,Mouse testis,Rat liver,Rat testis
细胞定位	Cajal body,Cytoplasm,Cytoplasmic granule,Nucleus,Z line,gem,myofibril,sarcomere
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human SMN1.
序列	GVPEQEDSVLFRRTGGQSDSDIWDDETALIKAYDKAVASFKHALKNGDICETSGKPKTTPKRKPAKKNKSQKKNTAASL QQWKVGDKCSAIWSEDCGIYPATIASIDFKRETCVVVYTYGYNREEQNLSDLLSPICEVANNIEQNAQENENESQVSTDE

靶点信息

研究背景	This gene is part of a 500 kb inverted duplication on chromosome 5q13. The repetitiveness and complexity of the sequence have also caused difficulty in determining the organization of this genomic region. The telomeric and centromeric copies of this gene are nearly identical and encode the same protein. However, mutations in this gene, the telomeric copy, are associated with spinal muscular atrophy; mutations in the centromeric copy do not lead to disease. The centromeric copy may be a modifier of disease caused by mutation in the telomeric copy. The critical sequence difference between the two genes is a single nucleotide in exon 7, which is thought to be an exon splice enhancer. Note that the nine exons of both the telomeric and centromeric copies are designated historically as exon 1, 2a, 2b, and 3-8. The protein encoded by this gene localizes to both the cytoplasm and the nucleus. Within the nucleus, the protein localizes to subnuclear bodies called gems which are found near coiled bodies containing high concentrations of small ribonucleoproteins (snRNPs). This protein forms heteromeric complexes with proteins such as SIP1 and GEMIN4, and also interacts with several proteins known to be involved in the biogenesis of snRNPs, such as hnRNP U protein and the small nucleolar RNA binding protein. Multiple transcript variants encoding distinct isoforms have been described.
基因ID	6606
基因名	
Swiss	Q16637
别名	SMN1;BCD541;GEMIN1;SMA;SMA1;SMA2;SMA3;SMA4

产品验证



Western blot analysis of SMN1 expressed in Mouse liver, Rat liver, Mouse testis using SMN1 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn