

# Neurogenin 2 Rabbit mAb

货号: **AYM29949**

## 产品信息

|       |   |
|-------|---|
| 反应    | Human,Mouse,Rat   |
| 宿主    | Rabbit  |
| 克隆性   | Monoclonal  |
| 预测反应  |   |
| 应用    | WB  |
| 推荐浓度  | <b>WB:</b> 1:500 - 1:2000   |
| 理论分子量 | 25kDa   |
| 实测分子量 | 25kDa   |
| 形式    | Liquid  |
| 保存条件  | Store at -20°C. Avoid freeze / thaw cycles.<br>Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3. |
| 偶联物   | Unconjugated  |
| 阳性对照  | C6,SH-SY5Y,Neuro-2a,Mouse brain,Rat brain   |
| 细胞定位  | nucleus   |
| 纯化    | Affinity purification   |

## 抗原信息


|      |   |
|------|---|
| 抗原信息 | Recombinant fusion protein corresponding to Human Neurogenin 2. |
|------|---|

## 靶点信息

|       |   |
|-------|---|
| 研究背景  | This gene encodes a neural-specific basic helix-loop-helix (bHLH) transcription factor that can specify a neuronal fate on ectodermal cells and is expressed in neural progenitor cells within the developing central and peripheral nervous systems. The protein product of this gene also plays a role in the differentiation and survival of midbrain dopaminergic neurons. [provided by RefSeq, Apr 2012] |
| 基因ID  | 63973   |
| 基因名   | NEUROG2   |
| Swiss | Q9H2A3  |

|    |              |
|----|--------------|
| 别名 | Neurogenin 2 |
|----|--------------|

## 产品验证



Western blot analysis of Neurogenin 2 expressed in Mouse brain,Rat brain,C6 using Neurogenin 2 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins : 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)