

— ABLYBIO, Help Your Research



IAP2 Rabbit mAb

货号: **AYM30115**

产品信息

| | |
|-------|---|
| 反应 | Human |
| 宿主 | Rabbit |
| 克隆性 | Monoclonal |
| 预测反应 | |
| 应用 | WB IHC ICC IP |
| 推荐浓度 | WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 ICC: 1:50 - 1:200 IP: 1:20 - 1:50 |
| 理论分子量 | 68kDa |
| 实测分子量 | 72kDa |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | HepG2,RAW264.7 |
| 细胞定位 | Cytoplasm,Nucleus |
| 纯化 | Affinity purification |


抗原信息

| | |
|------|--|
| 抗原信息 | Recombinant fusion protein corresponding to Human IAP2 . |
|------|--|

靶点信息

| | |
|-------|--|
| 研究背景 | This gene encodes a member of the IAP family of proteins that inhibit apoptosis by binding to tumor necrosis factor receptor-associated factors TRAF1 and TRAF2, probably by interfering with activation of ICE-like proteases. The encoded protein inhibits apoptosis induced by serum deprivation but does not affect apoptosis resulting from exposure to menadione, a potent inducer of free radicals. It contains 3 baculovirus IAP repeats and a ring finger domain. Transcript variants encoding the same isoform have been identified. |
| 基因ID | 330 |
| 基因名 | BIRC3 |
| Swiss | Q13489 |
| 别名 | IAP2,IAP2 Rabbit mAb,BIRC3,Apoptosis inhibitor 2,Cellular inhibitor of apoptosis 2,IAP homolog C,Inhibitor of apoptosis protein 1,RING finger protein 49,RING-type E3 ubiquitin transferase BIRC3,TNFR2-TRAF-signaling complex protein 1,API2,MIHC,RNF49 |

产品验证



Western blot analysis of IAP2 expressed in HepG2,RAW264.7 using IAP2 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)