

Nidogen 1 Rabbit mAb

货号: **AYM30121**

产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	122kDa/136kDa
实测分子量	160kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	LO2,293T
细胞定位	Secreted,basement membrane,extracellular matrix,extracellular space
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human Nidogen 1.
序列	DLDTTDGLGKVYYREDLSPSITQRAAECVHRGFPEISFQPSSAVVVTWESVAPYQGSPRDPDQKGRNTFQAVLASSDS SSYAIFLYPEDGLQFHHTTFSKKENNVPAVVAFSQGSVGLWKSNGAYNIFANDRESVENLAKSSNSGQQGVVWFIEIGSP ATTNGVVPADVILGTEDGAEYDDEDEDYDLATTRLGLEVDGTTPFYKALRRGGADTYSVPSVLSPRRAATERPLGPPTER TRSFQLAVETFHQHPQVIDVDEVEETGVVFSYNTDSRQTCANNRHQCSVH

靶点信息

研究背景	This gene encodes a member of the nidogen family of basement membrane glycoproteins. The protein interacts with several other components of basement membranes, and may play a role in cell interactions with the extracellular matrix.
基因ID	4811

基因名	NID1
Swiss	P14543
别名	NID1;NID;nidogen-1

产品验证



Western blot analysis of Nidogen 1 expressed in LO2,293T using Nidogen 1 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn