

INPP4B Rabbit mAb

货号: **AYM30162**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC FC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 FC: 1:20 - 1:50
理论分子量	14kDa/104kDa
实测分子量	107kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,A375
细胞定位	cytoplasm,cytosol
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human INPP4B.
序列	GLRKLHRFETERRNTGYQFIYSPENTAKAKEVLSNINQLQPLIATHADLLNSASQHSPLKNSLKMLSEKTELFVHAFK DQLVRSALLALYTARPGGILKKPPSPKSSTEESPQDQPPVMRGQDSIPHSDYDEEEWDRVWANVGKSLNCIIAMVDKL IERDGGSEGGNNDGEKEPSLTD AIPSHPRDWYEQLYPLILTLKDCMGEVVNRAKQ

靶点信息

研究背景	INPP4B encodes the inositol polyphosphate 4-phosphatase type II, one of the enzymes involved in phosphatidylinositol signaling pathways. This enzyme removes the phosphate group at position 4 of the inositol ring from inositol 3,4-bisphosphate. There is limited data to suggest that the human type II enzyme is subject to alternative splicing, as has been established for the type I enzyme.
------	---

基因ID	8821
基因名	INPP4B
Swiss	O15327
别名	INPP4B

产品验证



Western blot analysis of INPP4B expressed in U-87MG, A375 using INPP4B Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn