— ABLYBIO, Help Your Research

RNF40 Rabbit mAb

货号: AYM30181

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IP
推荐浓度	**WB:** 1:500 - 1:2000 **IHC:** 1:50 - 1:200 **IP:** 1:20 - 1:50
理论分子量	94kDa/102kDa/113kDa
实测分子量	130kDa
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	MCF7,HepG2,U-937
细胞定位	Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human RNF40.

靶点信息

研究背景	The protein encoded by this gene contains a RING finger, a motif known to be involved in protein-protein and protein-DNA interactions. This protein was reported to interact with the tumor suppressor protein RB 1. Studies of the rat counterpart suggested that this protein may function as an E3 ubiquitin-protein ligas e, and facilitate the ubiquitination and degradation of syntaxin 1, which is an essential component of the neurotransmitter release machinery. Multiple alternatively spliced transcript variants encoding different is oforms have been found for this gene.
基因ID	9810
基因名	RNF40
Swiss	O75150 (https://www.uniprot.org/uniprotkb/O75150/entry)
别名	RNF40,RNF40 Rabbit mAb,95 kDa retinoblastoma-associated protein,RING finger protein 40,RING-type E3 ubiquitin transferase BRE1B,BRE1B,KIAA0661

产品验证



Western blot analysis of RNF40 expressed in MCF7,HepG2,U-937 using RNF40 Rabbit mAb at 1:1000. Sec ondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buf fer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)