

— ABLYBIO, Help Your Research



Phospho-TAOK1/2/3 (S181 + S181 + S177) Rabbit mAb

货号: AYM30225

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	
实测分子量	140,130,110kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	
细胞定位	Cytoplasmic vesicle membrane, Cell projection, dendrite
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human TAOK2.
------	--

靶点信息

研究背景	
------	--

基因ID	3134
基因名	TAOK2
Swiss	Q9UL54 (https://www.uniprot.org/uniprotkb/Q9UL54/entry), TAOK2 (https://www.uniprot.org/uniprotkb/TAOK2/entry), Q7L7X3TAOK1 (https://www.uniprot.org/uniprotkb/Q7L7X3TAOK1/entry), Q9H2K8TAOK3 (https://www.uniprot.org/uniprotkb/Q9H2K8TAOK3/entry)
别名	Phospho-TAOK1/2/3 (S181 + S181 + S177), Phospho-TAOK1/2/3 (S181 + S181 + S177) Rabbit mAb, TAOK2, Kinase from chicken homolog C, Prostate-derived sterile 20-like kinase 1, Thousand and one amino acid protein kinase 2, KIAA0881, MAP3K17, PSK, PSK1

产品验证



Western blot analysis of Phospho-TAOK1/2/3 (S181 + S181 + S177) expressed in human esophagus cancer, mouse liver, rat muscle using Phospho-TAOK1/2/3 (S181 + S181 + S177) Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)