

— ABLYBIO, Help Your Research



MAGOH Rabbit mAb

货号: **AYM30306**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	12kDa/17kDa
实测分子量	17kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SKOV3,HeLa,MCF7,Jurkat,Mouse spleen,Mouse thymus,Rat spleen
细胞定位	Cytoplasm,Nucleus,Nucleus speckle
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human MAGOH.
------	--

靶点信息

研究背景	Drosophila that have mutations in their mago nashi (grandchildless) gene produce progeny with defects in germplasm assembly and germline development. This gene encodes the mammalian mago nashi homolog. In mammals, mRNA expression is not limited to the germ plasm, but is expressed ubiquitously in adult tissues and can be induced by serum stimulation of quiescent fibroblasts.
基因ID	4116
基因名	MAGOH
Swiss	P61326 (https://www.uniprot.org/uniprotkb/P61326/entry)
别名	MAGOH,MAGOH Rabbit mAb,MAGOHA

产品验证



Western blot analysis of MAGOH expressed in Mouse spleen,Rat spleen,SKOV3 using MAGOH Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)