

# Phospho-HSF1 (S326) Rabbit mAb

货号: **AYM30320**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC ICC IP FC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IHC:</b> 1:50 - 1:200 <b>ICC:</b> 1:50 - 1:200 <b>IP:</b> 1:20 - 1:50 <b>FC:</b> 1:20 - 1:50
理论分子量	52kDa/57kDa
实测分子量	82kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,K-562,HepG2,MCF7
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein corresponding to Human Phospho-HSF1 (S326).
序列	DARGHTDTEGRPPSPPTSTPEKCLSVACLKNEKSDHLDAMDSNLDNLQTMLSSHGFSVDTSALLDLFSPSVTPDMS LPDLDSLASIQELLSPQEPPRPEAENSSPDSGKQLVHYTAQPLFLLDPGSVDTGSNDLPVLFELGEGSYFSEGDGFAED PTISLLTGSEPPKAKDPTVS

## 靶点信息

研究背景	The product of this gene is a heat-shock transcription factor. Transcription of heat-shock genes is rapidly induced after temperature stress. Hsp90, by itself and/or associated with multichaperone complexes, is a major repressor of this gene.
------	--

基因ID	3297
基因名	HSF1
Swiss	Q00613
别名	HSF1;HSTF1

## 产品验证



Western blot analysis of Phospho-HSF1 (S326) expressed in HeLa, K-562, HepG2 using Phospho-HSF1 (S326) Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)