

— ABLYBIO, Help Your Research



# Phospho-SMAD5 (S463/S465) Rabbit mAb

货号: **AYM30363**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IF/ICC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	52kDa
实测分子量	52kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Rat lung
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein corresponding to Human Phospho-SMAD5 (S463/S465).
------	--

## 靶点信息

研究背景	The protein encoded by this gene is involved in the transforming growth factor beta signaling pathway that results in an inhibition of the proliferation of hematopoietic progenitor cells. The encoded protein is activated by bone morphogenetic proteins type 1 receptor kinase, and may be involved in cancer. Alternative splicing results in multiple transcript variants.
基因ID	4090
基因名	SMAD5
Swiss	Q99717
别名	Phospho-SMAD5 (S463/S465), Phospho-SMAD5 (S463/S465) Rabbit mAb, SMAD5, JV5-1, Mothers against decapentaplegic homolog 5, MADH5

## 产品验证



Western blot analysis of Phospho-SMAD5 (S463/S465) expressed in Rat lung using Phospho-SMAD5 (S463/S465) Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)