

# UPP1 Rabbit mAb

货号: **AYM30390**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	28kDa
实测分子量	28kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,293T,Rat large intestine,Rat lung,Rat heart,Mouse large intestine,Mouse lung,Mouse kidney
细胞定位	cytosol,nucleoplasm
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein corresponding to Human UPP1.
序列	MAATGANAEKAESHNDPCVRLNPNIAKMKEDILYHFNLTTSRHNFPALFGDVKFVCGGSPSRMKAFIRCVAELGLDCP GRDYPNICAGTDYAMYKV

## 靶点信息

研究背景	This gene encodes a uridine phosphorylase, an enzyme that catalyzes the reversible phosphorylation of uridine (or 2'- deoxyuridine) to uracil and ribose-1-phosphate (or deoxyribose-1-phosphate). The encoded enzyme functions in the degradation and salvage of pyrimidine ribonucleosides.
基因ID	7378
基因名	UPP1

Swiss	Q16831
别名	UPP1; UDRPASE; UP; UPASE; UPP; uridine phosphorylase 1

## 产品验证



Western blot analysis of UPP1 expressed in Mouse large intestine, Rat large intestine, HeLa using UPP1 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30 ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 1 20s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)