

MED4 Rabbit mAb

货号: **AYM30428**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	35kDa
实测分子量	35kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	TE-1,Jurkat,U-87MG,Mouse lung,Rat liver
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human MED4.
序列	KYAHRIASNAVCAPLTWVPGDPRRYPYPTDLEMRSGLLGQMNNPSTNGVNGHLPGDALAAGRLPDVLPQYPWQSNDM SMNMLPPNHSSDFLLEPPGHNKE

靶点信息

研究背景	This gene encodes a component of the Mediator complex. The Mediator complex interacts with DNA-binding gene-specific transcription factors to modulate transcription by RNA polymerase II. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene.
基因ID	29079

基因名	MED4
Swiss	Q9NPJ6
别名	MED4; ARC36; DRIP36; HSPC126; TRAP36; VDRIP; mediator complex subunit 4

产品验证



Western blot analysis of MED4 expressed in Mouse lung,Rat liver,TE-1 using MED4 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn