

— ABLYBIO, Help Your Research



PI3 Kinase R4 Rabbit mAb

货号: **AYM30433**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC FC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200 FC: 1:20 - 1:50
理论分子量	153kDa
实测分子量	150kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Raji,Mouse thymus,Rat lung
细胞定位	Cytoplasmic vesicle,Late endosome,Lipid-anchor,Membrane,autophagosome
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human PI3 Kinase R4.
------	--

靶点信息

研究背景	Regulatory subunit of the PI3K complex that mediates formation of phosphatidylinositol 3-phosphate; different complex forms are believed to play a role in multiple membrane trafficking pathways: PI3KC3-C1 is involved in initiation of autophagosomes and PI3KC3-C2 in maturation of autophagosomes and endocytosis. Involved in regulation of degradative endocytic trafficking and cytokinesis, probably in the context of PI3KC3-C2.
基因ID	30849
基因名	PIK3R4
Swiss	Q99570
别名	PI3 Kinase R4,PI3 Kinase R4 Rabbit mAb,PIK3R4,PI3-kinase p150 subunit,Phosphoinositide 3-kinase adaptor protein,VPS15

产品验证



Western blot analysis of PI3 Kinase R4 expressed in Raji, Mouse thymus, Rat lung using PI3 Kinase R4 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)