

TRIM29 Rabbit mAb

货号: **AYM30463**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	63kDa/65kDa
实测分子量	68kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,A-431
细胞定位	Cytoplasm
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human TRIM29.
序列	ILEQNFRDLVRDLEKQKEEVRAALEQREQDAVDQVKVIMDALDERAKVLHEDKQTREQLHSISDSVLFLEFGALMSNYS LPPPLPTYHVLLEGEGLGQSLGNFKDDLLNVCMRHVEKMCKADLSRNFIERNHMENGGDHRYVNNYTNSTFGGEWSAPD TMKRYSMYLTPKGGRVTSYQPSSPGRFTKETTQKNFNLYGKGNYSRVWEYSSSIQNSDNDLPVVQGSSSFSKGY SLMRSQSPKAQPQTWKSQKQTMLSHYRPFYVYVNGNGIGSNEAP

靶点信息

研究背景	The protein encoded by this gene belongs to the TRIM protein family. It has multiple zinc finger motifs and a leucine zipper motif. It has been proposed to form homo- or heterodimers which are involved in nucleic acid binding. Thus, it may act as a transcriptional regulatory factor involved in carcinogenesis and/or differentiation. It may also function in the suppression of radiosensitivity since it is associated with ataxia telangiectasia phenotype.
------	--

基因ID	23650
基因名	TRIM29
Swiss	Q14134
别名	TRIM29;ATDC

产品验证



Western blot analysis of TRIM29 expressed in HeLa,A-431 using TRIM29 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn