— ABLYBIO, Help Your Research

CLIP170 Rabbit mAb

货号: AYM30585

产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC
推荐浓度	**WB:** 1:500 - 1:2000 **IHC:** 1:50 - 1:200
理论分子量	156kDa/160kDa/162kDa
实测分子量	130,170kDa
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,Mouse heart
细胞定位	Cell projection,Cytoplasm,Cytoplasmic side,Cytoplasmic vesicle membrane,Peripheral membrane protein, cytoskeleton,ruffle
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human CLIP170.

靶点信息

研究背景	The protein encoded by this gene links endocytic vesicles to microtubules. This gene is highly expressed in Reed-Sternberg cells of Hodgkin disease. Several transcript variants encoding different isoforms have been found for this gene.
基因ID	6249
基因名	CLIP1
Swiss	P30622 (https://www.uniprot.org/uniprotkb/P30622/entry)
别名	CLIP170,CLIP170 Rabbit mAb,CLIP1,Cytoplasmic linker protein 1,Cytoplasmic linker protein 170 alpha-2,Reed-Sternberg intermediate filament-associated protein,Restin,CYLN1,RSN

产品验证



Western blot analysis of CLIP170 expressed in U-87MG,Mouse heart using CLIP170 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)