

DOK1 Rabbit mAb

货号: **AYM30595**

产品信息

| | |
|-------|---|
| 反应 | Human,Mouse,Rat |
| 宿主 | Rabbit |
| 克隆性 | Monoclonal |
| 预测反应 | |
| 应用 | WB IF/ICC |
| 推荐浓度 | WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200 |
| 理论分子量 | 65kDa |
| 实测分子量 | 65kDa |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | MCF7,BxPC-3 |
| 细胞定位 | Cytoplasm,Nucleus,perinuclear region |
| 纯化 | Affinity purification |

抗原信息


| | |
|------|--|
| 抗原信息 | Recombinant fusion protein corresponding to Human DOK1. |
| 序列 | EPKDAWWCQARVKEEGYELPYNPATDDYAVPPRSTKPLLAPKPQGPAPPEPGTATGSGIKSHNSALYSQVQKSGASGS WDCGLSRVGTDKTGKSEGST |

靶点信息

| | |
|------|--|
| 研究背景 | The protein encoded by this gene is part of a signal transduction pathway downstream of receptor tyrosine kinases. The encoded protein is a scaffold protein that helps form a platform for the assembly of multiple protein signaling complexes. Several transcript variants encoding different isoforms have been found for this gene. |
| 基因ID | 1796 |

| | |
|-------|---------------------------------------|
| 基因名 | DOK1 |
| Swiss | Q99704 |
| 别名 | DOK1; P62DOK; pp62; docking protein 1 |

产品验证



Western blot analysis of DOK1 expressed in MCF7, BxPC-3 using DOK1 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn