

CoREST Rabbit mAb

货号: **AYM30735**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	53kDa
实测分子量	66kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,Jurkat,Mouse testis,Mouse brain
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human CoREST.
序列	EREESEDELEEANGNNPIDIEVDQNKESKKEVPPTETVPQVKKEKHSTQAKNRAKRKPPKGMFLSQEDVEAVSANATAATT VLRQLDMELVSVKRQIQNIKQTNSALKEKLDGGIEPYRLPEVIQKCNARWTTEEQLLAVQAIKRYGRDFQAIQSDVIGNKSVV QVKNFFVNYRRRFNIDEVLQEWEAEHGKEETNGPSNQKPKVSPDNSIKMPEEEDAPVLDVRYASAS

靶点信息

研究背景	This gene encodes a protein that is well-conserved, downregulated at birth, and with a specific role in determining neural cell differentiation. The encoded protein binds to the C-terminal domain of REST (repress or element-1 silencing transcription factor).
基因ID	23186

基因名	RCOR1
Swiss	Q9UKL0
别名	RCOR1;COREST;RCOR

产品验证



Western blot analysis of CoREST expressed in Mouse testis, HeLa, Jurkat using CoREST Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn