

SLC22A3 Rabbit mAb

货号: **AYM30817**

产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC FC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 FC: 1:20 - 1:50
理论分子量	61KDa
实测分子量	75kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse liver
细胞定位	plasma membrane,presynapse
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human SLC22A3.
序列	PESPRWLITRKKGDKALQILRRIAKCNGKYLSSNYSEITVTDEEVSNPSFLDLVRTPQMRK

靶点信息

研究背景	Polyspecific organic cation transporters in the liver, kidney, intestine, and other organs are critical for elimination of many endogenous small organic cations as well as a wide array of drugs and environmental toxins. This gene is one of three similar cation transporter genes located in a cluster on chromosome 6. The encoded protein contains twelve putative transmembrane domains and is a plasma integral membrane protein. [provided by RefSeq, Jul 2008]
基因ID	6581

基因名	SLC22A3
Swiss	O75751
别名	EMT;EMTH;OCT3;SLC22A3

产品验证



Western blot analysis of SLC22A3 expressed in Mouse liver using SLC22A3 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn