

TCF3 Rabbit mAb

货号: **AYM30856**

产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB FC
推荐浓度	WB: 1:500 - 1:2000 FC: 1:20 - 1:50
理论分子量	62kDa
实测分子量	63kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,HCT116,A-549,A-431,Mouse lung,Mouse brain,Mouse skin,Rat lung,Rat skin
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human TCF3.
序列	YSLPPGGFRHPYPALAMNASMSSLVSSRFSPHMOVAPAHPLPTSGIPHPAIVSPIVKQEPAPPSLSPAVSVKSPVTVKKEE

靶点信息

研究背景	This gene encodes a member of the T cell factor/lymphoid enhancer factor family of transcription factors. These transcription factors are activated by beta catenin, mediate the Wnt signaling pathway and are antagonized by the transforming growth factor beta signaling pathway. The encoded protein contains a high mobility group-box DNA binding domain and participates in the regulation of cell cycle genes and cellular senescence.
基因ID	83439

基因名	TCF7L1
Swiss	Q9HCS4
别名	TCF7L1;TCF-3;TCF3

产品验证



Western blot analysis of TCF3 expressed in HeLa, HCT116, A-549 using TCF3 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn