

Interferon Receptor alpha Rabbit mAb

货号: **AYM30869**

产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	90,130kDa
实测分子量	90-130kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HepG2,A-549,NIH/3T3,Mouse brain,Rat lung,Rat liver
细胞定位	Membrane,Single-pass type I membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human Interferon Receptor alpha.
序列	KVFLRCINIVFFPSLKPSSSIDEYFSEQPLKNLLSTSEEQIEKCFIENISTIATVEETNQTDDEHKKYSSQTSQDSGNYSNED EESKTSEELQQDFV

靶点信息

研究背景	The protein encoded by this gene is a type I membrane protein that forms one of the two chains of a receptor for interferons alpha and beta. Binding and activation of the receptor stimulates Janus protein kinases, which in turn phosphorylate several proteins, including STAT1 and STAT2. The encoded protein also functions as an antiviral factor. [provided by RefSeq, Jul 2008]
基因ID	3454

基因名	IFNAR1
Swiss	P17181
别名	AVP; IFN-alpha-REC; IFNAR; IFNBR; IFRC

产品验证



Western blot analysis of Interferon Receptor alpha expressed in HepG2,A-549,NIH/3T3 using Interferon Receptor alpha Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn