

— ABLYBIO, Help Your Research



FAAH1 Rabbit mAb

货号: **AYM30910**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200
理论分子量	63kDa
实测分子量	63kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse liver,Mouse brain,Mouse kidney,HepG2,U-251MG,Rat liver
细胞定位	Cytoplasm,Endomembrane system,Single-pass membrane protein,cytoskeleton
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human FAAH1.
------	--

靶点信息

研究背景	This gene encodes a protein that is responsible for the hydrolysis of a number of primary and secondary fatty acid amides, including the neuromodulatory compounds anandamide and oleamide. [provided by RefSeq, Jul 2008]
基因ID	2166
基因名	FAAH
Swiss	O00519 (https://www.uniprot.org/uniprotkb/O00519/entry)
别名	FAAH1,FAAH1 Rabbit mAb,FAAH,Anandamide amidohydrolase 1,Fatty acid ester hydrolase,Oleamide hydrolase 1

产品验证



Western blot analysis of FAAH1 expressed in Mouse liver, Mouse brain, Mouse kidney using FAAH1 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)