

HB9/HLXB9 Rabbit mAb

货号: **AYM30919**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IP
推荐浓度	WB: 1:500 - 1:2000 IP: 1:20 - 1:50
理论分子量	41kDa
实测分子量	41kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,BxPC-3,Raji,Mouse pancreas
细胞定位	cytosol,nucleolus,nucleoplasm,nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human HB9/HLXB9.
序列	SQQLLELEHQFKLNKYLSRPKRFEVATSLMLTETQVKIWFQNRMRKWKRSKKAKEQAAQEAQKGGGGGAGKGGAAE PGAEELLGPPAPGDKGSGRRLRD

靶点信息

研究背景	This gene encodes a nuclear protein, which contains a homeobox domain and is a transcription factor. Mutations in this gene result in Currarino syndrome, an autosomic dominant congenital malformation. Altern atively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Sep 2009]
基因ID	3110

基因名	MNX1
Swiss	P50219
别名	HB9; HLXB9; HOXHB9; SCRA1

产品验证



Western blot analysis of HB9/HLXB9 expressed in Mouse pancreas, HeLa, BxPC-3 using HB9/HLXB9 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn