

NEK7 Rabbit mAb

货号: **AYM31020**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB FC
推荐浓度	WB: 1:500 - 1:2000 FC: 1:20 - 1:50
理论分子量	35kDa
实测分子量	35kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,MCF7,NIH/3T3,C6,Mouse lung,Mouse liver
细胞定位	cytoplasm,microtubule organizing center,nucleoplasm,nucleus,spindle pole
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human NEK7.
序列	MSPERIHENGYNFKSDIWSLGLLYEMAALQSPFYGDKMNLVSLCKKIEQCDYPLPSDHYSEELRQLVNMCIINPDPEKRP DVTYVYDVAKRMHACTASS

靶点信息

研究背景	NIMA-related kinases share high amino acid sequence identity with the gene product of the Aspergillus nidulans 'never in mitosis A' gene, which controls initiation of mitosis.[supplied by OMIM, Jul 2002]
基因ID	140609
基因名	NEK7

Swiss	Q8TDX7
别名	

产品验证



Western blot analysis of NEK7 expressed in Mouse lung, HeLa, MCF7 using NEK7 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn