

— ABLYBIO, Help Your Research



Rad21 Rabbit mAb

货号: **AYM31134**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB FC
推荐浓度	WB: 1:500 - 1:2000 FC: 1:20 - 1:50
理论分子量	71kDa
实测分子量	130KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Jurkat,Mouse thymus,C6
细胞定位	condensed nuclear chromosome,cytosol,nuclear matrix,nucleoplasm,nucleus,spindle pole
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human Rad21 .
------	---

靶点信息

研究背景	The protein encoded by this gene is highly similar to the gene product of <i>Schizosaccharomyces pombe</i> rad21, a gene involved in the repair of DNA double-strand breaks, as well as in chromatid cohesion during mitosis. This protein is a nuclear phospho-protein, which becomes hyperphosphorylated in cell cycle M phase. The highly regulated association of this protein with mitotic chromatin specifically at the centromere region suggests its role in sister chromatid cohesion in mitotic cells. [provided by RefSeq, Jul 2008]
基因ID	5885
基因名	RAD21
Swiss	O60216
别名	Rad21,Rad21 Rabbit mAb,Nuclear matrix protein 1,SCC1 homolog,64-kDa carboxy-terminal product,65-kDa carboxy-terminal product,HR21,KIAA0078,NXP1

产品验证



Western blot analysis of Rad21 expressed in Jurkat, Mouse thymus, C6 using Rad21 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)