

Neuronatin Rabbit mAb

货号: **AYM31167**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	
实测分子量	9kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	fetal human brain tissue, SH-SY5Y cells
细胞定位	cytoplasm
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein corresponding to Human Neuronatin.
序列	MAAVAAASAELLIIGWYIFRVLLQVFLECCYWVGFAFRNPPGTQPIARSEVFRYSLQLLAYTVSRTGRQVLGERRQRAPN

靶点信息

研究背景	The protein encoded by this gene is a proteolipid that may be involved in the regulation of ion channels during brain development. The encoded protein may also play a role in forming and maintaining the structure of the nervous system. This gene is found within an intron of another gene, bladder cancer associated protein, but on the opposite strand. This gene is imprinted and is expressed only from the paternal allele. [provided by RefSeq, Apr 2016]
基因ID	4826

基因名	NNAT
Swiss	Q16517
别名	Peg5;NNAT

产品验证



Western blot analysis of Neuronatin expressed in fetal human brain tissue, SH-SY5Y cells using Neuronatin Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn