— ABLYBIO, Help Your Research

CD58 Rabbit mAb

货号: AYM31200

产品信息

反应	Human
宿主	Rabbit
克隆性	Monoclonal
预测反应	
应用	WB IP FC
推荐浓度	**WB:** 1:500 - 1:2000 **IP:** 1:20 - 1:50 **FC:** 1:20 - 1:50
理论分子量	26kDa/27kDa/28kDa
实测分子量	50-75kDa
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	MCF7,293T
细胞定位	Cell membrane,GPI-anchor,Lipid-anchor,Single-pass type I membrane protein
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein corresponding to Human CD58.

靶点信息

研究背景	This gene encodes a member of the immunoglobulin superfamily. The encoded protein is a ligand of the T lymphocyte CD2 protein, and functions in adhesion and activation of T lymphocytes. The protein is localized to the plasma membrane. Alternatively spliced transcript variants have been described.
基因ID	965
基因名	CD58
Swiss	P19256 (https://www.uniprot.org/uniprotkb/P19256/entry)
别名	CD58,CD58 Rabbit mAb,Surface glycoprotein LFA-3,LFA3

产品验证



Western blot analysis of CD58 expressed in MCF7,293T using CD58 Rabbit mAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)